

DCI: Motion and Stability: Forces and Interactions

MS.PS2.A: Forces and Motion

For any pair of interacting objects, the force exerted by the first object on the second object is equal in strength to the force that the second object exerts on the first, but in the opposite direction (Newton’s third law). (MS-PS2)

DCI: Motion and Stability: Forces and Interactions

MS.PS2.A: Forces and Motion

The motion of an object is determined by the sum of the forces acting on it; if the total force on the object is not zero, its motion will change. The greater the mass of the object, the greater the force needed to achieve the same change in motion. For any given object, a larger force causes a larger change in motion. (MS-PS2-2)

DCI: Motion and Stability: Forces and Interactions

MS.PS2.A: Forces and Motion

All positions of objects and the directions of forces and motions must be described in an arbitrarily chosen reference frame and arbitrarily chosen units of size. In order to share information with other people, these choices must also be shared. (MS-PS2-2)

DCI: Motion and Stability: Forces and Interactions

MS.PS2.B: Types of Interactions

Forces that act at a distance (electric, magnetic, and gravitational) can be explained by fields that extend through space and can be mapped by their effect on a test object (a charged object, or a ball, respectively). (MS-PS2-5)

DCI: Motion and Stability: Forces and Interactions

MS.PS2.B: Types of Interactions

Electric and magnetic (electromagnetic) forces can be attractive or repulsive, and their sizes depend on the magnitudes of the charges, currents, or magnetic strengths involved and on the distances between the interacting objects. (MS-PS2-3)

DCI: Motion and Stability: Forces and Interactions

MS.PS2.B: Types of Interactions

Gravitational forces are always attractive. There is a gravitational force between any two masses, but it is very small except when one or both of the objects have large mass—e.g., Earth and the sun. (MS-PS2-4)